

Approved for use through 10/31/2002 OMB 0651-0031

Patent and Trademark Office; U. S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number Substitute for form 1449A/PTO COMPLETE IF KNOWN Application Number 09/777,989 INFORMATION DISCLOSURE Confirmation Number 3218 Filing Date 6 February 2001 STATEMENT BY APPLICANT First Named Inventor (use as many sheets as necessary) Chester Group Art Unit 2123 2857 Examiner Name unknown Washing SHEET of Attorney Docket Number 8035M

**U. S. PATENT DOCUMENTS** 

EXAMINER INITIALS*	Cite No.1	U.S. PATEN Number	T DOCUMENT Kind Code <sup>2</sup> (if known)	Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear
	<u> </u>					
<del></del>	ļi					
	<del> </del>		<del></del>			
	<del> </del>	<del></del>				

## FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.'	FO Office <sup>3</sup>	REIGN PATENT ( Number <sup>4</sup>	OCUMENT Kind Code <sup>6</sup> (if known)	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	r*
			<del> </del>				·
·							
			·		<del> </del> ,		

## OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS

EXAMINER INITIALS*	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T <sup>6</sup>
M	1	R.D. SMITH, E.G. CHAPMAN, AND B.W. WRIGHT, "Pressure Programming in Supercritical Fluid Chromatography," Analytical Chemistry, 57: (14) pp. 2829-2836 (1985)	
Tay	2	H. SNIJDERS, H.G. JANSSEN, AND C. CRAMERS, "Optimization of termperature-programmed gas chromatographic separations. 1. Prediction of retention times and peak widths from retention indices," <u>Journal of Chromatography A</u> , 718: (2) pp. 339-355 (Dec. 22, 1995)	
10	3	J.C. GIDDINGS, Unified Separation Science, John Wiley & Sons, Inc. New York (1991)	
ner	4	R.G. WOLCOTT, J.W. DOLAN, AND L.R. SNYDER, "Computer simulation for the convenient optimization of isocratic reversed-phase liquid chromatographic separations by varying temperature and mobile phase strength," Journal of Chromatography A, 869, pp. 3-25 (2000)	
In	5	L.R. SNYDER, J.W. DOLAN, AND J.R. GRANT, J. Chromatogr., 165, (1979) 3	
Jar	6	P.J. SCHOENMAKERS, "Optimization of Chromatographic Selectivity, a Guide to Method Development," J. Chromatography Library, 35 (1988) Ph.J. F. 36	
my	7	H. MARTENS AND T. NAES, Multivariate Calibration, ISBN 0-471-90979-3, John Wiley & Sons, Ltd., Chichester (1989), ptg. 26/~233, 247-976	
20	8	R. PERSON, Special Edition Using Excel for Windows 95, QUE, Ch. 29, pp. 838-853- (NO CART)	

Examples Hellichm Pate Considered 4-19-16

OIPE 13 2000 E

	\Z		<u></u>
ThN	93	E. J. BILLO, Fixel for Chemists: A Comprehensive Guide, Wiley-VCH, New York, Ch. 17, pp. 287-300 (1997)	10
$\gamma$	10	A PATRIMER ET AL., Special Edition Using Microsoft Excel 2000, QUE, Ch. 22, pp. 646-659 (1998)	
,	11	L.R. SNIDER, J.J. KIRKLAND, J.L. GLAJCH, Practical HPLC Method Development, 2 <sup>nd</sup> ed., Wiley, p. 392-394 and	100
19W		pp. 439-478 (1997)	1 W
W	12	ATWOOD AND GOLAY, J. Chromatogr., 218, pp. 97-122 (1981)	
n	13		
		J.J. VAN DEEMTER, F.J. ZUIDERWEG, AND KLINKENBERG, Chem. Eng. Sci., 5, 271, (1956), 44, 271-289	ļ
h	14	C. HORVATH AND H.J. LIN, J. Chromatogr. Sci., 149, 43, (1978)	
n	15	G.J. KENNEDY, AND J.H. KNOX, J. Chromatogr. Sci., 10, 149, (1972),	
7	16	B.F. KARGER, L.R. SNYDER, AND C. HORVATH, An Introduction to Separation Science, John Wiley & Sons,	
m		New York, P. 90 (1973), p. 91, 1X - A111 63, 90 - 91-	
FIA	17	P.E. KAVANAGH, "Optimizing Reversed Phase Separations with the Aid of a Spreadsheet," Chromatographia, Vol.	
VW		50, No. 1/2, July, 1999, pp. 65-69 ISSN: 0009-5893	
	18	L. PAUGAM, R. MENARD, J. LAURE, D. THOUVENOT, "Optimization of glucosinolate separation by micellar	
11/		electrokinetic capillary chromatography using a Doehlert's experimental design, " J. Chromatography A, 864 (1999)	
W		155-162	
<del></del>	19		
le	19	E. MARENGO, M.C. GENNARO, V. GIANOTTI, E. PRENESTI, "Optimization of the separation of mono- and	
		dichloroanilines in ion interaction high performance liquid chromatography," J. Chromatography A. 863. (1999) 1-11	
į	20	A.I. LIAPIS, J.J. MEYERS, O.K. CROSSER, "Modeling and simulation of the dynamic behavior of monoliths Effects	
Ma		of pore structure from pore network model analysis and comparison with columns packed with porous spherical	
m		particles," J. Chromatography A, 865 (1999) 13-25	
2	21	G. DESMET, G.V. BARON, "Simultaneous optimization of the analysis time and the concentration detectability in	
m		open tubular liquid chromatography," J. Chromatography A. 867 (2000) 23-43	
_	22	S. GOGA-REMONT, S. HEINISCH, J.L. ROCCA, "Use of optimization software to determine rugged analysis	
W		conditions in high-performance liquid chromatography," J. Chromatography A, 868 (2000) 13-29	
1 0	23	R. BERGES, V. SANZ-NEBOT, J. BARBOSA, "Modelling retention in liquid chromatography as a function of	
w	20		
	24	solvent composition and pH of the mobile phase," J. Chromatography A, 869 (2000) 27-39	
2	24	C. BARBAS, A. GARCIA, L. SAAVEDRA, M. CASTRO, "Optimization and validation of a method for the	
n		determination of caffeine, 8-chlorotheophylline and diphenhydramine by isocratic high-performance liquid	
100		chromatography Stress test for stability evaluation," J. Chromatography A, 870, (2000) 97-103	
	25	R. ROMERO, D. GAZQUEZ, M.G. BAGUR, M. SANCHEZ-VINAS, "Optimization of chromatographic parameters	
m		for the determination of biogenic amines in wines by reversed-phase high-performance liquid chromatography," $\underline{J}$ .	
1/2		Chromatography A, 871 (2000) 75-83	
	26	V. NATARAJAN, B. W. BEQUETTE, S. M. CRAMER, "Optimization of ion-exchange displacement separations I.	
, .		Validation of an iterative scheme and its use as a methods development tool," J. Chromatography A, 876 (2000)	
n		51-62	
10	27	V. NATARAJAN, S.M. CRAMER, "Optimization of ion-exchange displacement separations II. Comparison of	
1/W		displacement separations on various ion-exchange resins," J. Chromatography A, 876 (2000) 63-73	
	28		<del></del>
l	20	V. PIETTE, M. LAMMERHOFER, K. BISCHOFF, W. LINDNER, "High-performance liquid chromatographic	
2.	l	enantioseparation of N-protected alpha amino acids using nonporous silica modified by a quinine carbamate as	
160		chiral stationary phase," Lab of Analytical Chemistry, University of Namur, Namur, Belg. Chriality (1997), 9(2), 157-	
· V		161 ISSN: 0899-0042	
20-11	29	N. HAMADA, H. MURAKITA, T. FUJITA, "Computer application for the optimization of resolution in HPLC,"	
low		Kuromatogurafi, (1995) 16(4), 278-9 ISSN: 0917-3048. (Abst-ust only translatedt	
· -	30	J.D. STUART, D.D. LISI, L.R. SNYDER, "Separation of Mixtures of o-phthalaidehyde-derivatized amino acids by	
2		reversed-phase gradient elution. Accuracy of computer simulation for predicting retention and band width," J.	
m		Chromatogr., (1989) 485, 657-72 ISSN: 0021-9673	
1	31	J.W. DOLAN, ET AL., "Simultaneous variation of temperature and gradient steepness for reversed-phase high-	
m	- '	performance liquid chromatography method development I. Application to 14 different samples using computer	
••			
		simulation," J. Chromatogr. A, (1998) 803(1 + 2), 1-31 ISSN: 0021-9673	
,	32	M. LAEMMERHOFER, ET AL., "Computerized optimization of the high-performance liquid chromatographic	
m		enantioseparation of a mixture of 4-dinitrophenyl amino acids on a quinine carbamate-type chiral stationary phase	
<i>"</i>	<del></del>	using DRYLAB, * J. Chromatogr. B: Biometd. Appl. (1997) 689(1), 123-135 ISSN: 0378-4347	
	33	T.H. DZIDO, A. SORY, "Computer optimization for RP-HPLC separation of some nucleosides," Chem. Anal.	
W		(Warsaw) (1996), 41(1), 113-120 ISSN:0009-2223	
	34	R. DAEPPEN, I. MOLNAR, "Application of the gradient elution technique: demonstration with a special test mixture	
20/			
VY	J		
W		and the DryLab G/plus method development software," <u>J. Chromatogr.</u> (1992), 592(1-2), 133-141 ISSN: 0021-9673	

Examiner Jol Wahrm

Pate considered 4-19-06

/	~	51	
PART	JUL	2 3 2001	

R.C. CUPPEK, M.S. HANCOCK, L.R. SNYDER, "Computer simulation as a tool for the rapid optimization of high-performance liquid chromatographic separation of a tryptic digest of human growth hormone," <u>J. Chromatogr.</u> (1992), 594(1-2), 65-73 ISSN: 0021-9673 P.A. RYAN, B.A. EWELS, J.L. GLAJCH, "Separation and detection of oxidation products in Neurolite raw material," J. Chromatogr. (1991), 550(1-2), 549-558 ISSN: 0021-9673 T.H. DZIDO, E. SOCZEWINSKI, J. GUDEJ, "Computer aided optimization of high-performance liquid chromatographic analysis of flavonoids from some species of the genus Althaea," J. Chromatogr. (1991) 550(1-2), 71-6 ISSN: 0021-9673 J. FULPER, "Practical approach for high-performance liquid chromatographic method development: assaying synthetic intermediates of a leukotrinene inhibitor," J. Chromatogr. (1989), 485, 597-605 ISSN: 0021-9673 P.B. BOWMAN, ET AL., "Liquid chromatography solvent optimization: potential pitfalls when using a black box for developing a quality separation, \* J. Pharm. Blomed. Anal., (1993), 11(11-12), 1295-1301 ISSN: 0731-7085 R. FAULSTICH, T. CATALANO, "Interactive computer optimization of high performance liquid chromatography separations in pharmaceutical analysis," LC-GC, (1991), 9(11), 776, 778-779 ISSN: 0888-9090 P.B. BOWMAN, ET AL., "Automated HPLC optimization-not all systems are the same," J. Pharm. Biomed. Anal. (1993), 11(11-12), 1303-15 ISSN: 0731-7085 K. OUTINEN, V.M. LEHTOLA, H. VUORELA, "Behavior of resolution by changing solvent strength and selectivity in the 'PRISMA' model using reversed-phase HPLC for biogenic amines," J. Pharm. Biomed, Anal. (1997). 15(6), 819-829 ISSN: 0731-7085 K. OUTINEN, ET AL., "Optimization of selectivity in high-performance liquid chromatography using desirability functions and mixture designs according to prisma," Eur. J. Pharm, Sci. (1998), 6(3), 197-205 ISSN: 0928-0987 K. OUTINEN, H. VUORELA, R. HILTUNEN, "The retention behavior of biogenic amines in the 'PRISMA' model using reversed-phase HPLC," Acta Pharm. Fenn. (1992), 101(1), 11-20 ISSN: 0356-3456 S. NYIREDY, W. WOSNICK, H. THIELE, O. STICHER, "PRISMA' model for computer-aided HPLC mobile phase optimization based on an automatic peak identification approach," J. Liq. Chromatogr. (1991), 14(16-17), 3077-3110 ISSN: 0148-3919 C. GEIGER, H. RIMPLER, "OPTISOLVE' - a PC-program for solvent optimization in liquid chromatography. Part 1." GIT Fachz, Lab. (1990), 34(11), 1391-2, 1395-7 ISSN: 0016-3538. CO/4 summary Transly Kel S.J. ZIEGLER, O. STICHER, "Optimization of the mobile phase for HPLC separation of S/alk(en)yl-L-cysteine derivataives and their corresponding sulfoxide isomers," J. Lig. Chromatogr., (1989), 12(1-2), 199-220 ISSN: 0148-R. CELA, ET AL., "PREOPT-W: off-line optimization of binary gradient separations in HPLC by simulation - IV. W Phase 3," Comput. Chem. (1996), 20(3), 315-330 ISSN: 0097-8485 R. CELA, M. LORES, "PREOPT-W: a simulation program for off-fine optimization of binary gradient separations in HPLC - II. Data management and miscellaneous aspects of use, "Comput. Chem. (1996), 20(2), 193-202 ISSN: R. CELA, ET AL., "The PREOPT package for pre-optimization of gradient elutions in high-performance liquid chromatography," Anal. Chim. Acta (1986), 191, 283-297 ISSN: 0003-2670 51 R. CELA, M. LORES, \*PREOPT-W: a simulation program for off-line optimization of binary gradient separations in HPLC - I. Fundamentals and overview, Comput. Chem. (1996), 20(2), 175-91 ISSN: 0097-8485 S.D. PATTERSON, "Use of solvent selectivity optimization procedures for high-performance liquid chromatographic method development," J. Chromatogr. (1992), 592(1-2), 43-9 ISSN: 0021-9673 M. SOLFRIZZO, ET AL., "Separation of chlamydosporol epimers by reversed-phase HPLC using commercial solvent optimization software," Chromatographia, (1994) 39(7/8), 443-7 ISSN: 0009-5893 G. D'AGOSTINO, ET AL., "Optimization of the mobile phase composition in gradient elution reversed-phase HPLC by stochastic prediction," Chromatographia, (1988) 25(4), 343-9 ISSN: 0009-5893 K. LEMR, "Computerized optimization of the mobile phase in RP-HPLC," Chem. Listy (1992), 86(11), 850-4 ISSN: 55 0009-2770 Only one phougonsh Drandated P. JAGELAND, ET AL., Optimization of industrial-scale high-performance liquid chromatography applications 56 using a newly developed software," J. Chromatogr. (1994), 658(2), 497-504 ISSN: 0021-9673 C. BRYANT, ET AL., "Using inductive logic programming to discover knowledge hidden in chemical data," 57 Chemom, Intell. Lab. Syst. (1997), 36(2), 111-123 ISSN: 0169-7439 S. HEINISCH, ET AL., "Computerized optimization of RP-HPLC separation with nonaqueous or partially aqueous 58 mobile phases,\* Chromatographia, (1997), 44 (9/10), 529-537 ISSN: 0009-5893 B. BOURGUIGNON, ET AL., \*CRISEBOOK, a Hypermedia version of an expert system for the selection of optimization criteria in high-performance liquid chromatography," J. Chromatogr. (1992), 592(1-2), 51-7 ISSN: 0021-9673

Examples Hollin

Hollishman Pate considered 4-19-06

		I MARTINE MARKET AL "A new sequential procedure for the efficient and automated location of polycome	5
W.	60	J. MARTINE MOSAPET AL., "A new sequential procedure for the efficient and automated location of optimes conditions in high performance liquid chromatography (HPLC)," J. Liq. Chromatogr., (1995), 18(15), 2969-89, ISSN: 0148-3919	00,
W	61	C.T. MANT, ET AL., "Reversed-phase chromatographic method development for peptide separations using the computer simulation program ProDigest-LC," J. Chromatogr., (1989), 485, 365-82 ISSN: 0021-9673	B
r	62	R.S. HODGES, ET AL., "Computer simulation of high-performance liquid chromatographic separations of peptide and protein digests for development of size-exclusion, ion-exchange, and reversed-phase chromatographic methods," J. Chromatogr., (1988), 458, 147-67 ISSN: 0021-9873	
W	63	S.G. LISSETER, "A PASCAL program for the optimization of ternary mobile phases for reversed-phase high performance liquid chromatography," Lab: Microcomput, (1990), 8(4), 109-15 ISSN: 0262-2955	
h	64	J. WEI, J. WEI, X. ZHOU, "Computer-aided optimization of the experimental conditions for the isocratic reversed-phase high-performance liquid chromatographic separation of hormonal steroids," <u>J. Chromatogr.</u> (1991), 552(1-2), 103-11 ISSN: 0021-9673	
M	65	J. WEI, J. WEI, X. ZHOU, "Optimization of an isocratic reversed phase liquid chromatographic system for the separation of fourteen steroids using factorial design and computer simulation," <u>Biomed. Chromatogr.</u> (1990), 4(1), 34-8 ISSN: 0269-3879	
m	66	A.G. WRIGHT, A.F. FELL, J.C. BERRIDGE, "Computer-aided optimization with photodiode array detection in HPLC," Anal. Proc. (London) (1988), 25(9), 300-3 ISSN: 0144-557X	
w	67	T. O'DWYER, P. DELAND, R. SMITH, "Optimization of HPLC separations through distributed intelligence using a PC," Am. Lab. (Fairfield, Conn.) (1988), 20(6), 40, 42-4, 46-8, ISSN: 0044-7749	
W	68	A.G. WRIGHT, A.F. FELL, J.C. BERRIDGE, "Sequential simplex optimization and multichannel detection in HPLC: application to method development," Chromatographia, (1987), 24, 533-40, ISSN: 0009-5893	
W.	69	R. ANDERSSON, M.D. HAEMAELAEINEN, "Simplex focusing of retention times and latent variable projections of chromatographic profiles," Chemom. Intell. Lab. Syst. (1994), 22(1), 49-61 ISSN: 0169-7439	
m	70	A.G. WRIGHT, A.F. FELL, J.C. BERRIDGE, "Strategles for automated optimization of high-performance liquid chromatographic separations incorporating diode-array detection," <u>J. Chromatogr.</u> (1988), 458, 335-53 ISSN: 0021-9673	
22	71	O. BUSTO, J.C. OLUCHA, F. BORRULL, "Determination of phenolic compounds in water by HPLC by linear gradient. An optimized method.," Chromatographia, (1991), 32(9-10), 423-8 ISSN: 0009-5893	-
m	72	R.P. TUCKER, ET AL., "Computer-aided models for optimization of eluent parameters in chiral liquid chromatography," Chirality, (1992) 4(5), 316-22 ISSN: 0899-0042	
,	73	H. J. METTING, P. M. COENEGRACHT, M. J. PIERRE, "Neural networks in high-performance liquid	
m		chromatography optimization: response surface modeling," <u>J. Chromatogr. A.</u> (1996), 728(1 + 2), 47-53 ISSN: 0021-9673	
m	74	E.P. LANKMAYR, ET AL., "Computer-aided optimization of high-performance liquid chromatography in the pharmaceutical industry," J. Chromatogr. (1989), 485, 183-93 ISSN: 0021-9673	
W	75	C. P. ONG, ET AL., "Use of overlapping resolution mapping scheme for optimization of the high-performance liquid chromatographic separation of pharmaceuticals," J. Chromatogr. A. (1995), 692(1 + 2), 207-12	
	76.	S. FAN, ET AL., "Optimization of reversed phase liquid chromategraphic separation of aromatic acids," Sepu- (1988), 0(4), 220-2	
m	177	O.A. QUATTROCCHI, L. IMPERIALE, "Optimization of HPLC methods," SAFYBI (1991), 31(84), 37-60 ISSN: 0558-1265, Co. In Maria Translation of HPLC methods," SAFYBI (1991), 31(84), 37-60 ISSN:	
	-78	W. YUAN, ET AL., Arr automotic optimization procedure in multistage gradient elution," Senu (1985), 2(6), 335-8.	
	79-	C. 2HOU, ET AL., Optimization of the composition of a binary mobile phase in RP-HPLC by computer statistical mapping procedure, Eanxi Cechi Tongbae (1999), 9(2), 52 6 188N: 1999-3890	•
	80	D. BYLUND, ET AL., "Optimization of chromatographic separations by use of a chromatographic response	
W	-	function, empirical modeling, and multivariate analysis, Chromatographia, (1997), 44(1/2), 74-80 ISSN: 0009-5893	
	81	H. MO, B. DENG, "Optimization of separation conditions for mixtures of phenole by high performance liquid shrematography using artificial neural network," Ferrxi Huaxue (1995), 23(7), 779-82 ISSN: 0263-3820	· ·
	82	R. LYNCH, ET AL., "Solvent optimization system for HPLC applications," <u>LeberPraxis</u> (1990), 14(12), 1028, 1030-2-1SSN: 0344-1733	-
7/	83	F. GONG, ET AL., "An improved algorithm of sequential number-theoretic optimization (SNTO) based on clustering technique," Chemom. Intell. Lab. Syst. (1999), 45(1,2), 339-346 ISSN: 0169-7439	
m	84	P. CHAMINADE, ET AL., "Use of the cubic spline interpolation algorithm for the selection of optimal ternary mobile phase composition in RP-HPLC," Analysis (1994) 22(2), 55-7 ISSN: 0365-4877	
2	85	B. BOURGUIGNON, ET AL., "Optimization in irregularly shaped regions: pH and solvent strength in reversed-	
10		phase high-performance liquid chromatography separations," <u>Anal, Chem.</u> (1994), 66(6), 893-904 ISSN: 0003- 2700	

Hollvahrun Porte Considered 4-20-06

	The state of the s
A M	2 3 2007
123	. Eu

	AFCA	
POCHI	AFCE ON SO	VED
	1000 Z	20 <del>,     </del>

1.	86	P.F. DE COMPARE EXACT. "Comparison of models and designs for optimization of the pH and solvent strength in	7
w	↓	HPLC, "Anal. Chim: Acta, (1997) 356(1), 7-18 ISSN: 0003-2670	
	87	C. GERTZ, W. FELLMANN, "Simple procedure for optimizing multicomponent mobile phases in high-performance of	n /
w	ļ	liquid chromatography," Fresenius' Z. Anal. Chem. (1986) 323(4), 343-9 ISSN: 0016-1152. [On L. Marketta Land Chem. (1986) 323(4), 343-9 ISSN: 0016-1152.	L. 1.
	88	Q. WANG, R. GAO, B. YAN, 'Integration of computer-assisted statistical scanning optimization system in HPLC,	,
		Chin. J. Chem. (1996), 14(1) 40-7 ISSN: 1001-604X	
VV	89	B.A. OLSEN, M.D. ARGENTINE, "HPLC method development for duloxetine hydrochloride using a combination of	
14/		computer-based solvent strength optimization and solvent selectivity mixture design," J. Lig. Chromatogr. Relat.	
_W_	<u> </u>	<u>Technol.</u> (1996), 19(12), 1993-2007 ISSN: 1082-6076	
A	90	Y. BABA, "Computer-assisted retention prediction for high performance liquid chromatography in the in-exchange	
-W-	1	mode," J. Chromatogr. (1989), 485, 143-68 ISSN: 0021-9873	
	91	R. CELA, J.A. MARTINEZ, "Off-line optimization in HPLC separations," Quim, Anal. (Barcelona) (1999), 18(1), 29-	
n		40 ISSN: 0212-0569	
	92	S. HATRIK, ET AL., "Use of a threshold criterion in the computer-assisted optimization of chromatographic	
W		separations," J. Chromatogr. A. (1994), 665(1), 9-15	
1 ,	93	P. JANDERA, "Optimization of gradient elution in normal-phase high-performance liquid chromatography," J.	
W		Chromatogr. A (1998), 797(1 + 2), 11-22 ISSN: 0021-9673	
,	94	S.D. WEST, "The prediction of reversed-phase HPLC retention Indexes and resolution as a function of solvent	
m		strength and selectivity," J. Chromatogr. Sci. (1987), 25(3), 122-9 ISSN: 0021-9665	
	95	P. LU, H. HONGXIN, "An intelligent search method for HPLC optimization," J. Chromatogr. Sci., (1989), 27(12),	
14/	<u></u>	690-7 ISSN: 0021-9865	
7	96	R. KYSILKA, M. WURST, "Optimized determination of indole derivatives by high-performance liquid	
10	1	chromatography with selective detection," J. Chromatogr., (1988), 446, 315-21, ISSN: 0021-9673	
_	97	B. LIN, W. LIU, P. LU, D.L. MASSART, M. DESMET, B. KOPPENHOEFER, "The simulation and optimization of	
W		gradient elution HPLC, Sci. China, Ser. B (1992), 35(9), 1056-66 ISSN: 1001-652X	
<b>-</b>	98	M.A. STADALIUS, H.S. GOLD, L.R. SNYDER, "Optimization model for the gradient elution separation of peptide	
4 /	i	mixtures by reversed-phase high-performance liqid chromatography. Verification of band width relationships for	
W		acetonitrile-water mobile phases," J. Chromatogr. (1985), 327, 27-45 ISSN: 0021-9673	
7	99	Y. BABA, ET AL., "Effect of column temperature on high-performance liquid chromatographic behavior of inorganic	
1-1		polyphosphates. II. Gradient ion-exchange chromatography," J. Chromatogr. (1985), 350(1), 119-25 ISSN: 0021-	١ ،
m		9673	
•	100	H. ZOU, Y. ZHANG, P. LU, "The prediction of peak width at half height in HPLC," Chin. J. Chem. (1991), 9(3), 237-	
h/		44	
	101	N. LUNDELL, *Implementation and use of gradient predictions for optimization of reversed-phase liquid	
m	1	chromatography of peptides. Practical considerations, J. Chromatogr. (1993), 639(2), 97-115 ISSN: 0021-9673	
	1	Chlomatography of peptides. Fractical considerations, J. Chlomatogr. (1983), 038(2), 97-113-13014, 0021-3073	
1/	102	M. KAISER, "HPLC optimization of the separation of explosives and propellant components with an octadecyl	

	<i>~</i>
EXAMINER 2///	DATE CONSIDERED
How Windson	9-60°00

EXAMINER: Initial if reference considered, whether or not citation is in conformance with M.P.E.P. 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup>Unique citation designation number. <sup>2</sup>See attached Kinds of U.S. Patent Documents. <sup>3</sup>Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup>For Japanese documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup>Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. <sup>6</sup>Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, D.C. 20231.



PTO/SB08A (08-00) Approved for use through 10/31/2002 OMB 0651-0031
Patent and Trademark Office; U. S. DEPARTMENT OF COMMERCE

Substitute for form 1449A/PTO	COMPLETE IF KNOWN		
	Application Number	09/777,989	
INFORMATION DISCLOSURE	Confirmation Number	3218	
STATEMENT BY APPLICANT	Filing Date	6 February 2001	
(use as many sheets as necessary)	First Named Inventor	Chester	
	Group Art Unit	<del>2123</del> 2852	
	Examiner Name .	unknown L/Auf Face	
HEET 1 of 5	Attorney Docket Number	8035M	

**U. S. PATENT DOCUMENTS** 

EXAMINER INITIALS	Citio No.1	U.S. PATENT Number	DOCUMENT Kind Code <sup>2</sup> (# known)	Name of Patentse or Applicant of Ched Document	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear
	<b></b>	ļ				
	<del> </del>	<del> </del>				
	<del> </del>	<u> </u>				
	<del> </del>					
	<u> </u>					

## **FOREIGN PATENT DOCUMENTS**

EXAMINER INITIALS	Cite No.1	FOR:	EIGN PATENT ( Number	XOCUMENT Kind Code <sup>s</sup> (If known)	Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	7*
				1				
							<del> </del>	

## OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS

EXAMINER INITIALS*	Cite No.1	include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	Τ <sup>¢</sup>
ner	1	R.D. SMITH, E.G. CHAPMAN, AND B.W. WRIGHT, "Pressure Programming in Supercritical Fluid Chromatography," Analytical Chemistry, 57: (14) pp. 2829-2836 (1985) (A/I) - 20.2. 1/1/	
m	2	H. SNIJDERS, H.G. JANSSEN, AND C. CRAMERS, "Optimization of termperature-programmed gas chromatographic separations. 1. Prediction of retention times and peak widths from retention indices," <u>Journal of Chromatography A. 718</u> : (2) pp. 339-355 (Dec. 22, 1995)	
Mer	3	J.C. GIDDINGS, Unified Separation Science, John Wiley & Sons, Inc. New York (1991) (No man th)	
W	4	R.G. WOLCOTT, J.W. DOLAN, AND L.R. SNYDER, "Computer simulation for the convenient optimization of isocratic reversed-phase liquid chromatographic separations by varying temperature and mobile phase strength,"  Journal of Chromatography A, 869, pp. 3-25 (2000) (1/1) = 0.9 (1/2)	
m	5	L.R. SNYDER, J.W. DOLAN, AND J.R. GRANT, J. Chromatogr., 165, (1979) 3 (Non Bath)	
W	6	P.J. SCHOENMAKERS, "Optimization of Chromatographic Selectivity, a Guide to Method Development," J. Chromatography Library, 35 (1986) (Ningary Physics 1994)	
M	7	H. MARTENS AND T. NAES, Multivariate Calibration, ISBN 0-471-90979-3, John Wiley & Sons. Ltd., Chichester (1989) LNO month/14261-173.297-316	<del></del>
hus	8	R. PERSON, Special Edition Using Excel for Windows 95, QUE, Ch. 29, pp. 838-853 (No Ch. te/.	<del></del>

Exuminen Hollhalier Pate lawidency 4-19-06

·m/		S 1 0010 Supples Charitan A Company to Company	<del>, , ,</del>
13.1.	9	E. J. BILLO, Excel for Chemists: A Comprehensive Guide, Wiley-VCH, New York, Ch. 17, pp. 287-300 (1997) (NO	
FON	10	P. BLATTTNER ET AL., Special Edition Using Microsoft Excel 2000, QUE, Ch. 22, pp. 646-659 (1998) (No no 1/2)	<u>.                                    </u>
IN.	11	LR. SNIDER, J.J. KIRKLAND, J.L. GLAJCH, Practical HPLC Method Development, 2 <sup>nd</sup> ed., Wiley, p. 392-394 and	ŀ
		pp. 439-478 (1997) CM) 1 1/2/	
_m	12	ATWOOD AND GOLAY, J. Chromatogr., 218, pp. 97-122 (1981) (10 m (n 1/1)	<u> </u>
nv ,	13	J.J. VAN DEEMTER, F.J. ZUIDERWEG, AND KLINKENBERG, Chem. Eng. Sci., 5, 271, (1956)(A) m. D. Holl, And	271-28
$n_{\mathcal{N}}$	14	C. HORVATH AND H.J. LIN. J. Chromatogr. Sci., 149. 43. (1978) (NO A on the January 43-70,	
Ju-	15	G.J. KENNEDY, AND J.H. KNOX, J. Chromatogr. Sci. 10. 149. (1972) (No month for 15 9 - 506.	
1/2/	16	B.F. KARGER, L.R. SNYDER, AND C. HORVATH, An production to Separation Science, John Wiley & Sons.	1
		New York, P. 90 (1973) (Nomonth), Bus. 12-xiii 63,90-95;	
0. /	17	P.E. KAVANAGH, "Optimizing Reversed Phase Separations with the Aid of a Spreadsheet," Chromatographia, Vol.	
W	İ	50, No. 1/2, July, 1999, pp. 65-69 ISSN: 0009-5893	
	18	L. PAUGAM, R. MENARD, J. LAURE, D. THOUVENOT. Optimization of glucosinolate separation by micellar	
0		electrokinetic capillary chromatography using a Doehler('s experimental design," J. Chromatography A, 864 (1999)	
M		155-162/(N2mon 1/1/	
-00	19	E. MARENGO, M.C. GENNARO, V. GIANOTTI, E. PRENESTI, "Optimization of the separation of mono- and	<del></del>
mi		dichloroanilines in ion interaction high performance liquid chromatography, *J. Chromatography, A, 863, (1999) 1-11	
-F-U	20		MOMBA,
10	20	A.I. LIAPIS, J.J. MEYERS, O.K. CROSSER, "Modeling and simulation of the dynamic behavior of monoliths Effects	
m		of pore structure from pore network model analysis and comparison with columns packed with porous spherical	
<del></del>	24	particles,* J. Chromatography A. 865 (1999) 13-25 (Nom s. 1/h/,	
	21	G. DESMET, G.V. BARON, "Simultaneous optimization of the analysis time and the concentration detectability in	İ
1 /		open tubular liquid chromatography," J. Chromatography A. 867 (2000) 23-43 ( ///3-2-7/1/)	
mil	22	S. GOGA-REMONT, S. HEINISCH, J.L. ROCCA, "Use of optimization software to determine rugged analysis , , , ,	
4100		conditions in high-performance liquid chromatography," J. Chromatography A, 868 (2000) 13-29. ( No mon 1/1/)	
120 1-	23	R. BERGES, V. SANZ-NEBOT, J. BARBOSA, "Modelling retention in liquid chromatography as a function of	
		solvent composition and pH of the mobile phase," J. Chromatography A. 869 (2000) 27-39: ( ) and - 1/1/-	
	24	C. BARBAS, A. GARCIA, L. SAAVEDRA, M. CASTRO. Optimization and validation of a method for the	
18/		determination of caffeine. 8-chlorotheophylline and diphenhydramine by isocratic high-performance liquid	
100		chromatography Stress test for stability evaluation." J. Oxomatography A, 870, (2000) 97-103, (Algra ga 1/1/	
	25	R. ROMERO, D. GAZQUEZ, M.G. BAGUR, M. SANCHEZ-VINAS, "Optimization of chromatographic parameters	
12 ~ KK		for the determination of biogenic amines in wines by reversed-phase high-performance liquid chromatography." 1	
		Chromatography A, 871 (2000) 75-83, (1/2 mg. 1/2)	
	26	V. NATARAJAN, B. W. BEQUETTE, S. M. CRAMER, "Optimization of ion-exchange displacement separations I.	
20/		Validation of an iterative scheme and its use as a methods development tool." J. Chromatography A, 876 (2000)	
the		51-62. (No month)	
- /	27	V. NATARAJAN, S.M. CRAMER, "Optimization of ion-exchange displacement separations II. Comparison of	
m/		displacement separations on various ion-exchange resins." J. Chromatography A: 876 (2000) 63-73/Nom 97/1/	/
122	28	V. PIETTE, M. LAMMERHOFER, K. BISCHOFF, W. LINDNER, "High-performance liquid chromatographic	
_ [	/ -	enantioseparation of N-protected alpha amino acids using nonporous silica modified by a quinine carbamate as	
20 1		chiral stationary phase "Lab of Anabatical Chamietes I be a 12-year Atlanta Chamietes as	
		chiral stationary phase." Lab of Analytical Chemistry, University of Namur, Namur, Belg. <u>Chriality</u> (1997), 9(2), 157- 161 ISSN: 0899-0042 (No. 2007)	
<del>/</del>	29		
100	23	N. HAMADA, H. MURAKITA, T. FUJITA, "Computer application for the optimization of resolution in HPLC,"	
- W *	20	Kuromatogurafi, (1995) 16(4). 278-9 ISSN: 0917-3048. (No man thick but at tony man aft of	
A. 1	_30	J.D. STUART, D.D. LISI, L.R. SNYDER, "Separation of Mixtures of o-phthalaldehyde-derivatized amino acids by	
m		reversed-phase gradient elution. Accuracy of computer simulation for predicting retention and band width," J.	
		Chromatogr., (1989) 485, 657-72 ISSN: 0021-9673, [//0 /non7h]/	
Tow	31	J.W. DOLAN, ET AL., 'Simultaneous variation of temperature and gradient steepness for reversed-phase high-	
w	ĺ	performance liquid chromatography method development I. Application to 14 different samples using computer	
		simulation." J. Chromatogr. A. (1998) 803(1 + 2), 1-31 ISSN: 0021-9673 (NOn enth/	
ا م	.32	M. LAEMMERHOFER, ET AL., "Computerized optimization of the high-performance liquid chromatographic	
		enantioseparation of a mixture of 4-dinitrophenyl amino acids on a quinine carbamate-type chiral stationary phase	
ID C		using DRYLAB.* J. Chromatogr. B: Biometd. Appl. (1997) 589(1), 123-135 ISSN: 0378-4347. CND cn 2n 1h/.	
a. /	33	T.H. DZIDO, A. SORY, "Computer optimization for RP-HPLC segaration of some nucleosides," Chem. Anal.	ı
m		(Warsaw) (1996), 41(1), 113-120 ISSN:0009-2223, (Name of the	•
	34	R. DAEPPEN, I. MOLNAR, 'Application of the gradient eution technique: demonstration with a special test mixture	
700/1		and the DryLab G/plus method development software. J. Chromatogr. (1992), 592(1-2), 133-141 ISSN: 0021-	
	[	5673. (No mon 1/9)	
	4		

Examples Hellenlery

Pate Constand 4-19-06

	35	R.C. CHLOUPEK, W.S. HANCOCK, L.R. SNYDER, "Computer simulation as a tool for the rapid optimization of	
· W		high-performance liqid chromatographic separation of a tryptic digest of human growth hormone,* <u>J. Chromatogr.</u> (1992), 594(1-2), 65-73 ISSN: 0021-9673. ( NO 4 p. + h).	
Phy	36	P.A. RYAN, B.A. EWELS, J.L. GLAJCH. "Separation and detection of oxidation products in Neurolite raw material."  J. Chromatogr. (1991). 550(1-2). 549-558 ISSN: 0021-9673. (No. no. 1/1)	
	37	T.H. DZIDO, E. SOCZEWINSKI, J. GUDEJ, "Computer aided optimization of high-performance liquid	
ا مو	0.	<u> </u>	
POINT		chromatographic analysis of flavonoids from some species of the genus Althaea," <u>J. Chromatogr.</u> (1991) 550(1-2), 71-6 ISSN: 0021-9673; (NO 61.2), 11-11.	
	38	J. FULPER, 'Practical approach for high-performance liquid chromatographic method development: assaying	
W		synthetic intermediates of a leukotrinene inhibitor, J. Chromatogr. (1989), 485, 597-605 ISSN: 0021-9673. (Ng m	onthit
-1-1	39	P.B. BOWMAN, ET AL., "Liquid chromatography solvent optimization; potential pitfalls when using a black box for	
mu/		developing a quality separation. J. Pharm. Biomed. Anal., (1993), 11(11-12), 1295-1301 ISSN: 0731-7085. (No. 2)	onth!
10	.40	R. FAULSTICH, T. CATALANO, "Interactive computer optimization of high performance liquid chromatography	
101/		separations in pharmaceutical analysis, LC-GC, (1991), 9(11), 778, 778-779 ISSN: 0888-9090, LNo. 2017/1/	
$\mathcal{M}$	41	P.B. BOWMAN, ET AL., "Automated HPLC optimization-not all systems are the same," J. Pharm. Biomed. Anal.	- 1
		(1993). 11(11-12). 1303-15 ISSN: 0731-7085, Wamp, 1/h	
: -	42	K. OUTINEN, V.M. LEHTOLA H. VUORELA, "Behavior of resolution by changing solvent strength and selectivity	
: 24/		in the 'PRISMA' model using reversed-phase HPLC for biogenic amines, J. Pharm. Biomed. Anal. (1997), 15(6),	
LOW		819-829 ISSN: 0731-7085. [No mon Th]	
2/	43	K. OUTINEN, ET AL., "Optimization of selectivity in high-performance liquid chromatography using desirability	,
m		functions and mixture designs according to prisma, Eur. J. Pharm. Sci. (1998), 6(3), 197-205 ISSN: 0928-0987 (V	mentA
20 0	44	K. OUTINEN, H. VUORELA, R. HILTUNEN, 'The retention behavior of biogenic amines in the 'PRISMA' model	7
111/		using reversed-phase HPLC," Acta Pharm. Fenn. (1992), 101(1). 11-20 ISSN: 0356-3456 (1/1) ann 1/1/	
1	45	S. NYIREDY, W. WOSNICK, H. THIELE, O. STICHER, "PRISMA' model for computer-aided HPLC mobile phase	
m/		optimization based on an automatic peak identification approach." J. Lig. Chromatogr. (1991), 14(16-17), 3077-	
IN		3110 ISSN: 0148-3919. (No month)	
200	46	C. GEIGER, H. RIMPLER, "OPTISOLVE" - a PC-program for solvent optimization in liquid chromatography. Part	1111
RYV		1. GIT Fachz, Lab. (1990), 34(11), 1391-2, 1395-7 ISSN: 0016-3538. UN MONTH / Wommeny ent, Jan.	"kd/
ì	47	S.J. ZIEGLER, O. STICHER, 'Optimization of the mobile phase for HPLC separation of S-alk(en)y/-L-cysteine	
, Q/ /		derivataives and their corresponding sulfoxide isomers, J. Lig. Chromatogr. (1989), 12(1-2), 199-220 ISSN: 0148-	
for		3919, (Nom 6)/1/	
: 22 /	48	R. CELA, ET AL., "PREOPT-W: off-line optimization of binary gradient separations in HPLC by simulation – IV.	
Mh		Phase 3, Comput. Chem. (1996). 20(3), 315-330 ISSN: 0097-8485. (Names 1/h)	
: "	49	R. CELA, M. LORES, 'PREOPT-W: a simulation program for off-line optimization of binary gradient separations in	-
1 70		HPLC - II. Data management and miscellaneous aspects of use, Comput. Chem. (1996). 20(2), 193-202 ISSN:	
1/2 N		0097-8485. (Villagent/I)	
11. 1	50	R. CELA. ET AL., 'The PREOPT package for pre-optimization of gradient elutions in high-pedormance liquid	
10/1/		chromatography.* Anal. Chim. Acta (1986), 191, 283-297 ISSN: 0003-2670. LNo moh fill.	
260/	51	R. CELA, M. LORES, "PREOPT-W: a simulation program for off-line optimization of binary gradient separations in	, [
TM		HPLC - I. Fundamentals and overview,* Comput. Chem. (1996), 20(2), 175-91 ISSN: 0097-8485, Wing of The	
: '2/ /-	52	S.D. PATTERSON, "Use of solvent selectivity optimization procedures for high-performance liquid	1
-10U/		chromatographic method development," J. Chromatogr. (1992), 592(1-2), 43-9 ISSN: 0021-9673, No month/	
1/2/	53	M. SOLFRIZZO, ET AL., 'Separation of chlamydosporol epimers by reversed-phase HPLC using commercial	
MW		solvent optimization software.* Chromatographia, (1994) 39(7/8), 443-7 ISSN: 0009-5893. (Namon Th	
'ha/	54	G. D'AGOSTINO, ET AL., "Optimization of the mobile phase composition in gradient elution reversed-phase HPLC"	
INV		by stochastic prediction, Chromatographia, (1988) 25(4), 343-9 ISSN: 0009-5893. [Non path/	
- InOM	55	K. LEMR, "Computerized optimization of the mobile phase in RP-HPLC," Chem. Listy (1992), 86(11), 850-4 ISSN:	
170		0009-2770 LAD month (Only I puna unapli Translated)	
10h /	56	P. JAGELAND, ET AL., Optimization of industrial-scale high-performance liquid chromatography applications.	ĺ
17:00		using a newly developed software." J. Chromatogr. (1994). 658(2). 497-504 ISSN: 0021-9673. (Number 1)	
12/	57	C. BRYANT, ET AL., "Using inductive logic programming to discover knowledge hidden in chemical data."	\
1000		Chemom. Intell. Lab. Syst. (1997). 36(2). 111-123 ISSN: 0169-7439. [No monTh]	
36 7	58	S. HEINISCH, ET AL., "Computerized optimization of RP-HPLC separation with nonaqueous or partially aqueous	-
100/		mobile phases, Chromatographia. (1997). 44 (9/10). 529-537 ISSN: 0009-5893, [ // 0 m 0 n 7 // /	
Ja!	59	B. BOURGUIGNON, ET AL., CRISEBOOK, a Hypermedia version of an expert system for the selection of	
10/		optimization criteria in high-performance liquid chromatography." J. Chromatogr. (1992). 592(1-2), 51-7 ISSN:	
		0021-9673.(NamenTh)	

Examin Hellholm

Pateronistery 4-19-06

	12	
m.	60	J. MARTINEZ-VIDAL, ET AL., "A new sequential procedure for the efficient and automated location of optimum
		conditions in high performance liquid chromatography (HPLC).* J. Liq. Chromatogr. (1995). 18(15), 2969-89
<i>y</i> ~		ISSN: 0148-3919: \(\forall O_{\text{No.n1}} \frac{1}{2} \)
2/ 1	61	C.T. MANT. ET AL Reversed-phase chromatographic method development for peptide separations using the
96/		computer simulation program ProDigest-LC.* J. Chromatogr., (1989), 485, 365-82 ISSN: 0021-9673, (No me-iff)
2	62	R.S. HODGES, ET AL., "Computer simulation of high-performance liquid chromatographic separations of peptide"
[A.]		and protein digests for development of size-exclusion, ion-exchange, and reversed-phase chromatographic
		methods. J. Chromatogr., (1988), 458, 147-67 ISSN: 0021-9673, Mr. aunth.
1/	63	S.G. LISSETER, "A PASCAL program for the optimization of temary mobile phases for reversed-phase high/
<i>90</i> /	١٠٠	performance liquid chromatography. Lab. Microcomput. (1990). 9(4). 109-15 ISSN: 0262-2955 (NO m 2nth 7
<i>F</i>		
2.	64	J. WEI, J. WEI, X. ZHOU, "Computer-aided optimization of the experimental conditions for the isocratic reversed-
18/2/	l	phase high-performance liquid chromatographic separation of hormonal steroids," J. Chromatogr. (1991), 552(1-2),
100		103-11 ISSN: 0021-9673 (1/0 m fm TA).
	65	J. WEI. J. WEI, X. ZHOU, "Optimization of an isocratic reversed phase liquid chromatographic system for the
PS /	1	separation of fourteen steroids using factorial design and computer simulation, Biomed. Chromatogr. (1990), 4(1),
40	ļ	34-8 ISSN: 0269-3879, (No App Th).
2 x /	66	A.G. WRIGHT, A.F. FELL, J.C. BERRIDGE, "Computer-aided optimization with photodiode array detection in
41	ļ	HPLC," Anal. Proc. (London) (1988). 25(9), 300-3 ISSN: 0144-557X. (10 mg a 1/1/2)
2	67	T. O'DWYER, P. DELAND, R. SMITH, "Optimization of HPLC separations through distributed intelligence using a
26/		PC.* Am. Lab. (Fairfield, Conn.) (1988), 20(6), 40, 42-4, 46-8, ISSN: 0044-7749, (NO pri D), 1/2/
b. /	68	A.G. WRIGHT, A.F. FELL, J.C. BERRIDGE, "Sequential simplex optimization and multichannel detection in HPLC:
IW		application to method development, Chromatographia, (1987), 24, 533-40, ISSN: 0009-5893 ( \langle 0 man \frac{1}{2} \langle 1
20 1	69	R. ANDERSSON, M.D. HAEMAELAEINEN, "Simplex focusing of retention times and latent variable projections of
en.	!	chromatographic profiles, Chemom. Intell. Lab. Syst. (1994), 22(1), 49-61 ISSN: 0189-7439. (Na manth/
	70	A.G. WRIGHT, A.F. FELL, J.C. BERRIDGE, "Strategies for automated optimization of high-performance liquid
10		chromatographic separations incorporating diode-array detection." J. Chromatogr. (1988), 458, 335-53 ISSN: 0021-
/h//		9673
	71	O. BUSTO, J.C. OLUCHA, F. BORRULL, "Determination of phenotic compounds in water by HPLC by linear
16.1		gradient. An optimized method. *Chromatographia, (1991), 32(9-10), 423-8 ISSN: 0009-5893 Mbma. HIT
11-0-	72	R.P. TUCKER, ET AL., "Computer-aided models for optimization of eluent parameters in chiral liquid
n/	12	chromatography, Chirality, (1992) 4(5), 316-22 ISSN: 0899-0042, (No. 1), 1/1/
	73	H. J. METTING, P. M. COENEGRACHT, M. J. PIERRE, "Neural networks in high-performance liquid
1. /	13	
W		chromatography optimization: response surface modeling," <u>J. Chromatogr. A.</u> (1996), 728(1 + 2), 47-53 ISSN:
	74	0021-9673 LWO M 0 A/A/
hal	74	E.P. LANKMAYR, ET AL., 'Computer-aided optimization of high-performance liquid chromatography in the
170/		pharmaceutical industry, J. Chromatogr. (1989), 485, 183-93 ISSN: 0021-9673, ( \( \sqrt{1} \) m \( \sqrt{1} \) - \( \frac{1}{2} \)
N/	75	C. P. ONG. ET Al., "Use of overlapping resolution mapping scheme for optimization of the high-performance liquid
/		chromatographic separation of pharmaceuticals," J. Chromatogr. A. (1995), 692(1 + 2), 207-12, (NO en 7, / h/,
	-76	G. FAN, ET AL Optimization of reversed phase liquid chromatographic separation of aromatic acids, Sepu
•		-(4 <del>380), G(4), 220-2&gt;</del>
1/1/	77	O.A. QUATTROCCHI, L., IMPERIALE, "Optimization of HPLC, methods," SAFYBI (1991), 31(84), 37-60 ISSN:
lar		0558-1265, Wan 2n th. On by April to 1 Trans / 1/2 (
	-78	W-YUAN. ET-AL., "An automatic optimization procedure in multistage gradient stitllon," (50pt (1985)," 2(8)," 335-8
	<del>-79</del>	C. 2HOU. ST. AL., Optimization of the composition of a binary mobile phase in RP-HPLC by computer statistical
		-mapping procedure, Fenxi Ceshi-Tongbao (1990), 9(2), 52.6 ISSN: 1000-3800
,	80	D. BYLUND, ET AL., "Optimization of chromatographic separations by use of a chromatographic response
m/		function, empirical modeling, and multivariate analysis, "Chromatographia, (1997), 44(1/2), 74-80 ISSN: 0009-
HOV		5893. (A/D m Da th/
	81	THI MO, 8—DENG, "Optimization of separation conditions for mixtures of phenols by high performance liquid
	J,	*chromotography using artificial neural network." Fenxi Hunxus (1995), 23(7), 779-82 ISSN: 0253-3820
	82	
ļ	UŁ	R. LYNCH ET AL., Solvent optimization system for HPLC applications, LaborPraxis (1990), 14(12), 1028, 1030-2- ISSN: 0344-1733, Control of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the Property of the
	•	
'h/	83	F. GONG. ET AL., "An improved algorithm of sequential number-theoretic optimization (SNTO) based on clustering
		technique. Chemom. Intell, Lab. Syst. (1999), 45(1,2), 339-346 ISSN: 0169-7439 (1999) 43/1/2
2/	84	P. CHAMINADE, ET AL., 'Use of the cubic spline interpolation algorithm for the selection of optimal ternary mobile
of the		phase composition in RP-HPLC, Analysis (1994) 22(2), 55-7 ISSN: 0365-4877, CHO > 77/h/
102	85	B. BOURGUIGNON, ET AL., "Optimization in irregularly shaped regions: pH and solvent strength in reversed-
10N		phase high-performance liquid chromatography separations, Anal. Chem. (1994), 68(6), 893-904 ISSN: 0003-
17		2700. (ND man /h/.
<b>Y</b> -		2111

Example on Hellelander Vake Considered 4 2000

m	86	P.F. DE AGUIAR. ET AL., "Comparison of models and designs for optimization of the pH and solvent strength in HPLC," Anal. Chim. Acta. (1997) 358(1), 7-18 ISSN: 0003-2670. (Name of the pH)	
18/	87	C. GERTZ, W. FELLMANN, "Simple procedure for optimizing multicomponent mobile phases in high-performance liquid chromatography," Fresenius' Z. Anal. Chem. (1986) 323(4), 343-9 ISSN: 0016-1152, [No. 21-14]. (0-1-14).	to the
John !	88	Q. WANG, R. GAO, B. YAN, "Integration of computer-assisted statistical scanning optimization system in HPLC."  Chin. J. Chem. (1996), 14(1) 40-7 ISSN: 1001-604X, Ng nagative.	
200	89	B.A. OLSEN, M.D. ARGENTINE. "HPLC method development for duloxetine hydrochloride using a combination of computer-based solvent strength optimization and solvent selectivity mixture design," J. Liq. Chromatogr. Relat. Technol. (1996). 19(12), 1993-2007 ISSN: 1082-6076, (1996).	
m	90	Y. BABA, "Computer-assisted retention prediction for high performance liquid chromatography in the in-exchange mode," J. Chromatogr. (1989), 485, 143-68 ISSN: 0021-9673, No. 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 -	
Any	91	R. CELA, J.A. MARTINEZ, "Off-line optimization in HPLC separations," Quim. Anal., (Barcelona) (1999), 18(1), 29-40 ISSN: 0212-05694 (Noman Inc.)	
WVZ	- 92	S. HATRIK, ET AL., "Use of a threshold criterion in the computer-assisted optimization of chromatographic separations." J. Chromatogr. A. (1994), 665(1), 9-15, (10 20 1) 2 1/2	
100	93	P. JANDERA. "Optimization of gradient etation in normal-phase high-performance liquid chromatography." J. Chromatogr. A (1998), 797(1 + 2), 11-22 ISSN: 0021-9873 (Nong. 14).	
Mr.	94	S.D. WEST. 'The prediction of reversed-phase HPLC retention indexes and resolution as a function of selvent strength and selectivity," J. Chromatogr. Sci. (1987), 25(3), 122-9 ISSN: 0021-9665, \( \lambda \) 0 mg n f h /;	
Mal	95	P. LU, H. HONGXIN, "An intelligent search method for HPLC optimization." J. Chromatogr. Sci., (1989), 27(12), 690-7 ISSN: 0021-9665.	
m	96	R. KYSILKA. M. WURST, "Optimized determination of indole derivatives by high-performance liquid chromatography with selective detection." J. Chromatogr., (1988), 446, 315-21, ISSN: 0021-9673, (No. 4, 0.0.1)//	
m	97	B. LIN, W. LIU, P. LU, D.L. MASSART, M. DESMET, B. KOPPENHOEFER. The simulation and optimization of gradient elution HPLC, Sci. China, Ser. B (1992), 35(9), 1056-66 ISSN: 1001-652X, No. 2017 PM	
AN	98	M.A. STADALIUS, H.S. GOLD, L.R. SNYDER, "Optimization model for the gradient elution separation of peptide mixtures by reversed-phase high-performance liqid chromatography. Verification of band width relationships for acetonitrile-water mobile phases." J. Chromatogr. (1985), 327, 27-45 ISSN: 0021-9673. (Ngm 2-1/h/m	
Por	99	Y. BABA, ET AL "Effect of column temperature on high-performance liquid chromatographic behavior of inorganic polyphosphates. II. Gradient ion-exchange chromatography," <u>J. Chrómatogr.</u> (1985), 350(1), 119-25 ISSN: 0021-9673. (No. mp. 1/1).	
m	100	H. ZOU, Y. ZHANG, P. LU, "The prediction of peak width at half height in HPLC," Chin. J. Chem. (1991), 9(3), 237-	
m	101	N. LUNDELL, *Implementation and use of gradient predictions for optimization of reversed-phase liquid chromatography of peptides. Practical considerations,* J. Chromatogr. (1993), 639(2), 97-115 ISSN: 0021-9673 (1907)	a noth
70,5	102	M. KAISER, "HPLC optimization of the separation of explosives and propellant components with an octadecyl phase by computer simulation," Propellants. Explos., Pyrotech. (1997), 22(8), 321-325 ISSN: 0721-3115. (Non page)	4/

EXAMINER DATE CONSIDERED 1-20-06

EXAMINER: Initial if reference considered, whether or not citation is in conformance with M.P.E.P. 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup>Unique citation designation number. <sup>2</sup>See attached Kinds of U.S. Patent Documents. <sup>3</sup>Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup>For Japanese documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup>Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. <sup>6</sup>Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, D.C. 20231.